

# Parker®

## PRODUCT CATALOG

Lawn Sweepers



Hurricane® Plus Blowers



Thatch-O-Matic® Power Rakes



All Purpose Vacuums



Vac-35® Litter Vacuums



Portable Truck Loaders



# Thatch-O-Matic® Power Rakes

**Out Performs • Out Works • Out Lasts the Competition**



5HP Honda GC



Optional Bag



Safety Gaurd Rear Gate



## SPECIFICATIONS

Housing	Heavy duty, fully welded 12 gauge steel
Reels	Tine and flail available on all models
Rake Width	19"
Height Adjustment	12 positions that move in 1/4" increments from 1" to 4" with a locking collar
Deflector	Pivots
Idler	Spring loaded pulley for positive engagement
Control System	Bail
Handles	16 gauge 1" tubular steel Vibration absorbing comfort grip Adjustable height
Wheels- Front	Solid rubber, 7-1/2" x 1-3/4" with sealed bearing and steel hub
Wheels- Back	Semi-pneumatic, 10" x 3-1/2"

**The workhorse for commercial landscapers for almost a half century  
Rugged durability for commercial and rental applications  
Efficiently removes matted thatch with spring tine or flail blade  
Manually operated clutch lever for operator safety**

# Thatch-O-Matic® Power Rakes



Flail Reel

Tine Reel

Model	Reel	Engine / Approx. HP	Weight (lbs)	Overall Dimensions (in)
PR0605TH	Tine	5HP Honda GC	116	48L x 38H x 30.5W
PR8919TH	Tine	5.5HP Honda GX	117	48L x 38H x 30.5W
PR0606TB	Tine	6HP Briggs & Stratton Intek OHV	120	48L x 38H x 30.5W
PR0605FH	Flail	5HP Honda GC	117	48L x 38H x 30.5W
PR8919FH	Flail	5.5HP Honda GX	118	48L x 38H x 30.5W
PR0606FB	Flail	6HP Briggs & Stratton Intek OHV	121	48L x 38H x 30.5W